

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	74539	determin\$5 same spac \$4 same (inod\$3 stor \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 17:58
L8	139085	space near9 available	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 17:58
L9	1018	inode same file same (data database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 17:58
L10	21556	(shar\$4 reserv\$3)near9 space and interfac\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 17:58
L11	169509	determin\$5 near9 spac \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 17:58
L15	26	determin\$4 with (inode i-node) with size	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/06/30 18:32
L18	9	(L7 and L8 and L9 and L10 and L11) and (stor \$4 near9 available) and partial\$4 and extens\$5 and data and stor\$4 and (block fill) and size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 20:20
L20	1	(L7 and L8 and L9 and L10 and L11) and ((end last) near2 (block \$4 segment\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 21:02

L21	89	inode same ((end last near2 (block\$4 segment \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 21:38
L22	26	inode with ((end last) near2 (block\$4 segment \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 21:39
L23	3	inode with ((end last) near2 (block\$4 segment \$4)) with (writ\$4 fill)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 21:39
S1	2357	707/200.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/12/23 18:44
S2	99	707/200.ccls. and stor \$4 and inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/13 20:38
S3	2	"20050097142"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 18:52
S4	40	707/200.ccls. and stor \$4 and inode and (space near8 available)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/13 20:39
S5	40	707/200.ccls. and stor \$4 and inode and (space near8 available) and block	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/13 20:40
S6	14	707/200.ccls. and stor \$4 and inode and (space near8 available) and block and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 11:20
S7	15	available with space with inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 13:50
S9	4	available with space with inode and (fill\$3)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 13:52
S10	4	available with space with inode and (fill\$3) and (file adj system)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 14:06

S11	2	determin\$4 same (available with space) with inode and (fill\$3) and (file adj system)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 14:15
S12	30	determin\$4 same (available with space) and inode and (fill\$3) and (file adj system)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 14:16
S17	8	((determin\$3 with (free available)) near1 (space stor\$3 memory management) and inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 15:50
S18	11	((determin\$3 same (free available)) near1 (space stor\$3 memory management) and inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 15:51
S20	215	((determin\$3 responsiv \$3) with (free available)) near1 (space stor\$3 memory management) and responsiv\$3 and (inode block)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 16:48
S21	73	((determin\$3 responsiv \$3) with (free available)) near1 (space stor\$3 memory management) and responsiv\$3 and (inode block) and partial\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 16:50
S22	26	((determin\$3 responsiv \$3) with (free available)) near1 (space stor\$3 memory management) and responsiv\$3 and (inode block) and partial\$3 and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 18:55
S24	26	((determin\$3 responsiv \$3) with (free available)) near1 (space stor\$3 memory management) and responsiv\$3 and (inode shar\$3 block) and partial\$3 and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/14 21:32

S25	26	((determin\$3 responsiv\$3) with (free available)) near1 (space stor\$3 memory manage\$4) and responsiv\$3 and (inode shar\$3 block) and partial\$3 and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 17:53
S26	1	((determin\$3 responsiv\$3) with (free available)) near1 (space stor\$3 memory manage\$4) and responsiv\$3 and (inode shar\$3 block) and (partial\$3 adj fill\$2) and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 17:54
S27	19	((determin\$3 responsiv\$3) with (free available)) near1 (space stor\$3 memory manage\$4) and responsiv\$3 and (inode shar\$3 block) and partial\$3 and fill\$2 and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 18:17
S28	2	((determin\$3 responsiv\$3) with (free available)) near1 (space stor\$3 memory manage\$4) and responsiv\$3 and (inode shar\$3 block) and partial\$3 and (fill\$2 near block) and extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 17:56
S30	1	(responsive with (free available)) near (space stor\$3) same ((well adj known) convension)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 18:21
S33	35	(responsive with (space near available)) and ((well adj known) convension)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/17 18:24
S35	2	"20050097142"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 13:46
S38	1	(determin\$3 and responsiv\$3) with stor\$3 and (partially near filled near block near file)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 13:49

S39	1	((determin\$3 and responsiv\$3) with stor\$3) and (partially near filled near block near file)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 13:50
S41	914	((determin\$3 and responsiv\$2) with stor\$3) same (partially with filled with block file)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 13:52
S45	5250	block near file	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 13:54
S49	7	inode near extension	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 14:23
S50	1	(extension adj area) same inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 15:48
S51	2	"6658744".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 22:43
S52	1	matthew with kempers	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 15:55
S53	4780	707/1.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/04/19 22:43
S64	17	(space near4 available) with (file near system) with block\$4 and shar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:36
S65	18	space with available with inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 19:08
S66	17	space with available with inode and determin\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 19:16
S67	1	increas\$4 with efficiency with storage with inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 19:19
S68	19	determin\$4 with storage with inode	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 20:48
S69	159	partial\$4 near fill\$4 near block	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 20:49

S72	4	partial\$4 with fill\$4 with block with inod\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 20:51
S73	4	(shar\$4 partial\$4) with fill\$4 with block with inod\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 20:52
S75	5	fill\$4 near block with inod\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2006/10/11 21:37
S92	263	((partial\$3 empty fill\$3 availab\$4) adj (memory space block)) with stor\$3 with additional	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:15
S94	77	(stor\$3 near additional) with ((partial\$3 empty fill\$3 availab\$4) adj (memory space block))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 13:17
S95	141	steven with best	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 20:21
S96	444	michael with cooper	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 20:12
S98	21	(space near3 (free available) near3 inode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 20:46
S99	2	determin\$4 same (space near4 (free available unallocat\$4) near6 inode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 20:49
S104	73	determin\$4 same (space near2 (free wast \$4 available unallocat \$4) near2 (inode record (data adj structure))) and (file (file adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 20:52

S110	27	ibm and (inode same (space) same (file system)) and (block\$1 same (used or unused)) and (file with size) and (space\$3 with available) and (space with inode)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/06/28 18:44
S111	193	(inode same (file near2 system)) and ((parti\$4 divid\$3 parse\$1) with block\$1)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/06/28 18:47
S112	776	(inode same (file near2 system))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/06/28 18:46
S120	34	(inode same (file near2 system)) and ((parti\$4 divid\$3 parse\$1) with block\$1) and (space with (available used)) and (((file near2 size) same block same inode))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/07/07 21:13
S123	10	determin\$3 near4 (space available free wast\$3 partial\$3) near4 inode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 22:10
S124	3	"20050050110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 22:10
S129	9	(inode same (file near2 system)) and ((incompletely partly parti\$4 remain\$4 divid \$3 parse\$1) same block \$1) and (space with (available used)) and (((file near2 size) same block same inode)) same determin\$3 and stor\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/07/08 23:13
S131	26	(increas\$3 efficien\$3) near3 data near3 stor \$3 near3 (file adj system)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/07/08 11:33

S136	57	inode near2 block near2 (shar\$3 fill empty available free fragment) and determin \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:03
S140	1	(inode near2 block near2 (shar\$3 fill empty available free fragment)) same (next with available with block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:17
S141	1	(inode near2 block near2 (shar\$3 fill empty available free fragment next)) same (next with available with block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/08 21:18
S142	8	(inode same (file near2 system)) and ((incompletely partly parti\$4 remain\$4 divid \$3 parse\$1) same block \$1) and (space with (available used)) and (((file near2 size) same block same inode)) same determin\$3 and stor\$3 and determin\$3 and write and stor\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/07/08 23:13
S143	11	(determin\$4 near6 inode) same (respons \$5 near6 inode)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/12/23 19:37
S145	2	"20030158834" and (determin\$4 inode) same (respons\$5 inode) and empty and stor\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/12/23 19:44
S148	925	inode same file same (data database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 13:58
S149	2	"5909540".pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/06/30 14:08
S151	74539	determin\$5 same spac \$4 same (inod\$3 stor \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:12

S152	139085	space near9 available	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:13
S153	1018	inode same file same (data database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:14
S154	21556	(shar\$4 reserv\$3)near9 space and interfac\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:15
S155	169509	determin\$5 near9 spac \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:15
S156	17	S151 and S152 and S153 and S154 and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 14:16
S159	9	(S151 and S152 and S153 and S154 and S155) and (stor\$4 near9 available) and partial\$4 and extens\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/30 15:49

06/30/2008 9:55:09 PM

C:\Documents and Settings\bho\My Documents\EAST\Workspaces\10697899.wsp